

PCB Layout recommended

Circuit diagram




NO.1	
PART NO	vigor
1	90±30
2	130±30
3	180±30
4	250±30
5	350±50

NO.3-NO.4	
PART NO	NOTE
01~99	SERIAL NUMBER

NO.2	
PART NO	MATERIAL/QTY
S	SUS/1PC
D	SUS/2PCS

PART NO.	
K2-1112SA	K2-1112SN



ITEM	PART NAME	TER'NO.	QTY.	MATERIAL	FINISHING	REMARK
⑤	Terminal	—	2	Phosphor Bronze	Plating silver	—
④	Contact	—	2	F.Ag/SUS	Natural	—
③	Base	—	1	LCP	White	—
②	Cover	—	1	Brass(0.20t)	Plating Nickel	—
①	Keystoke	—	1	LCP	Black	—

APPROVALS		DATE	TACT SWITCHES	
DRAWN	JKUN.LU	2015.3.28	ELECTRONICS CO.,LTD	

APPROVALS		TITLE:	
CHECKED		TACT SWITCHES	
APPROVALS		PART NO.	K2-1112SD-ADDW-00
TOLERANCES ARE	30~12.1 ±0.30 10~30 ±0.20 5~10 ±0.15 ~5 ±0.10	ANGLE	SCALE: 1:1
ECN NO.	REV.	DATE.	PROJ. SHEET 1 OF 1
NEW		CHANGE.	
DESCRIPTION.		CHECK.	
		APPRO.	