

RBW2 SERIES ROCKER SWITCH


ANTI-VANDAL SWITCHES
DETECTOR SWITCHES
DIP SWITCHES
KEYLOCK SWITCHES
NAVIGATION SWITCHES
PUSHBUTTON SWITCHES
ROCKER SWITCHES
ROTARY SWITCHES
SLIDE SWITCHES
SNAP ACTION SWITCHES
TACTILE SWITCHES
TOGGLE SWITCHES
CAP OPTIONS



APPLICATIONS / MARKETS



Commercial Appliances



Industrial Controls




Floor Care Appliances



Instrumentation



Medical/Dental



Electrical Housewares

RoHS

SPECIFICATIONS

Electrical Rating: 16(16)A 125VAC 5E4 T85 [cURus]
1/3HP 125VAC IP66 [cURus]
10(10)A 250VAC 5E4 T85 [VDE]

Electrical Life: 50,000 Cycles

Mechanical Life: 50,000 Cycles

Contact Resistance: <30mΩ Max.

Insulation Resistance: 500MΩ Min. at 500VDC

Dielectric Strength: 1,000VAC for 1 Minute

Operating Temperature: -20° C to 85° C Min.

Ingress Protection: IP66

Panel Cutout: 22mm x 30mm

Function: DPST, Off-On DPDT, On-On

FEATURES & BENEFITS

- Full illumination options available
- Approved under new UL 61058-1 rating
- UL approved up to 1/3HP
- Internally sealed to an IP66 rating using patented technology (Patent No.: US 7,872,205 B2)

PART NUMBER CONFIGURATOR

Series



RBW2

Circuit



A - Off-On (DPST)

*B - On-On (DPDT)

Body Color



BLK - Black

WHT - White

Actuator Color



BLK - Black

WHT - White

RIL - Red Full Illumin.

GIL - Green Full Illumin.

YIL - Yellow Full Illumin.

BIL - Blue Full Illumin.

Marking



A - Dot

D - I/O Vertical

F - I/O Vertical

G - I/O Horizontal

I - On/Off Vertical

E - No Marking

Termination



F - 6.3mm Tab

Lamp Voltage



0 - No Lamp

1 - 125VAC Neon

2 - 250VAC Neon

3 - 12VDC Incandescent

* Not available with Illuminaiton

Specifications subject to change without notice 2.13.2019



E-SWITCH®

www.e-switch.com






800.867.2717

1

RBW2 SERIES ROCKER SWITCH

BODY DIMENSIONS






A - CIRCUIT



RBW2 SERIES ROCKER SWITCH


BODY DIMENSIONS

B - CIRCUIT




RBW2 SERIES ROCKER SWITCH


MARKING OPTIONS




A - Dot




**D - I/II
VERTICAL**




**F - I/O
VERTICAL**



**G - I/O
HORIZONTAL**



**I - ON/OFF
VERTICAL**



E - No MARKING



E-SWITCH®

www.e-switch.com

800.867.2717

4

ANTI-VANDAL
SWITCHES

DETECTOR
SWITCHES

DIP
SWITCHES

KEYLOCK
SWITCHES

NAVIGATION
SWITCHES

PUSHBUTTON
SWITCHES

ROCKER
SWITCHES

ROTARY
SWITCHES

SLIDE
SWITCHES

SNAP ACTION
SWITCHES

TACTILE
SWITCHES

TOGGLE
SWITCHES

CAP
OPTIONS